

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	702/119 and (software with test\$3) and (test with file) and variation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 13:53
L2	2	1 and (software with location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 13:55
L3	1	2 and rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 13:55
S1	19	("5513315" "5548718" "5594892" "5708774" "5862362" "6353897" "6513133" "6546506" "6557120").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 17:58
S2	10	S1 and (automat\$3 with software with test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:31
S3	0	(automat\$3 with software with test\$3) and (code with section with identif\$3 with software with test\$3) and (expandable with variation with section with location) and (expansion with section with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:16
S4	0	(software with test\$3) and (code with section with identif\$3 with software with test\$3) and (expandable with variation with section with location) and (expansion with section with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:26
S5	0	(code with section with identif\$3 with software with test\$3) and (expandable with variation with section with location) and (expansion with section with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:27

S6	0	((code with section) same (identif\$3 with software with test\$3)) and (expandable with variation with section with location) and (expansion with section with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:28
S7	0	((code with section) same (identif\$3 with software with test\$3)) and (expandable with variation with section with location) and ((expansion with section) same (defin\$3 with rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:08
S8	0	10/611613	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:29
S9	0	S2 and (identif\$3 with software with test\$3) and (identif\$3 with location with run with software) and (defin\$3 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:33
S10	0	(software with test\$3) and (identif\$3 with software with test\$3) and (identif\$3 with location with run with software) and (defin\$3 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:34
S11	0	(software with test\$3) and (identif\$3 with software with test\$3) and (identif\$3 with location with run) and (defin\$3 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:34
S12	2	(software with test\$3) and (identif\$3 with software with test\$3) and (identif\$3 with location with software) and (defin\$3 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:14
S13	0	714/38 and ((code with section) same (identif\$3 with software with test\$3)) and (expandable with variation with section) and ((expansion with section) same (defin\$3 with rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:40

S14	0	714/37 and ((code with section) same (identif\$3 with software with test\$3)) and (expandable with variation with section) and ((expansion with section) same (defin\$3 with rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:40
S15	0	((code with section) same (identif\$3 with software with test\$3)) and (expandable with variation with section) and ((expansion with section) same (defin\$3 with rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 18:40
S16	0	(automat\$3 with software with test\$3) and (code with identif\$3 with software with test\$3) and (expandable with variation with location) and (expansion with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 09:43
S17	0	(automat\$3 with software with test\$3) and (test near2 file) and (identif\$3 with software with test\$3) and (location with run with software) and (defin\$3 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 09:45
S18	164	702/119 and (software with test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 13:52
S19	10	S18 and (identif\$3 with software with test)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 10:26
S20	0	S19 and (location with run with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 10:19
S21	1	S19 and (location with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 10:19

S22	0	(test near2 file) and (instruction with run\$4 with software) and (identif\$3 with location with software) and (expandable with variation with section with location) and ((expansion with section) same (defin\$3 with rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:19
S23	0	(test near2 file) and (instruction with run\$4 with software) and (identif\$3 with location with software) and ((expandable with variation) same (defin\$3 with rule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:20
S24	0	(test near2 file) and (instruction with run\$4 with software) and (identif\$3 with location with software) and (defin\$3 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:21
S25	0	(pars\$3 with test near2 file) and (instruction with run\$4 with software) and (identif\$3 with location with software) and (software with test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:22
S26	0	(pars\$3 with test with file) and (instruction with run\$4 with software) and (identif\$3 with location with software) and (software with test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:23
S27	0	(test with software with components) and (test with file) and (identif\$4 with software) and (identif\$3 with location with run with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:26
S28	108	(test with software with components) and (test with file) and (identif\$4 with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:43
S29	25	S28 and (defin\$3 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:27

S30	20	S29 and location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:27
S31	1	S30 and (location with software with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:27
S32	0	(test with software with components) and (expand\$3 with variation with section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:44
S33	0	(test with software with components) and (expand\$5 with variation with section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 16:44
S34	0	(test with software) and (expand\$5 with variation with section)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 17:44
S35	0	(test with software) and (code portion) and (location with section with identif\$4 with run with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 17:46
S36	0	("5513315" "5548718" "5594892" "5708774" "5862362" "6353897" "6513133" "6546506" "6557120").PN. and (code or portion) and setup and (software with location) and (defin\$3 with rule) and cleanup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:42
S37	6	(test with software) and (test with plan) and (test with file) and (code or portion) and setup and (software with location) and (defin\$3 with rule) and cleanup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 18:03

S38	0	S37 and (identif\$6 with location with run with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 18:04
S39	0	(test with software) and (identif\$6 with location with run with software) and (expan\$6 with section with defin\$4 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 18:05
S40	0	(software with test\$3) and (identif\$3 adj5 (software with test\$3)) and (identif\$3 with location with software) and (defin\$3 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:14
S41	0	(automat\$3 with software with test\$3) and (identif\$3 with software with test\$3) and (section with defin\$4 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:17
S43	11	(automat\$3 with software with test\$3) and (identif\$3 adj5 software adj5 test\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:20
S44	3	S43 and rule	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:21
S45	19	("5513315" "5548718" "5594892" "5708774" "5862362" "6353897" "6513133" "6546506" "6557120").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:39
S46	0	("5513315" "5548718" "5594892" "5708774" "5862362" "6353897" "6513133" "6546506" "6557120").PN. and (identif\$4 with software) and (defin\$3 with rule) and cleanup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:47

S47	0	("5513315" "5548718" "5594892" "5708774" "5862362" "6353897" "6513133" "6546506" "6557120").PN. and (identif\$4 with software) and (defin\$3 with rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:45
S48	0	("5513315" "5548718" "5594892" "5708774" "5862362" "6353897" "6513133" "6546506" "6557120").PN. and (identif\$4 with location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 12:47